

# yublow



Pack dimensions: 200 x 82 x 32 mm  
Product dimensions: 90 x 30 x 16 mm

Weight:  
Pack Weight: 100 gr  
Product Weight: 45 gr

## CDP 128



### General Characteristics:

- Personal use **digital** breath tester.
- Very fast, intuitive, and easy to use.
- Portable, light and ergonomic.
- 90% Reliable thanks to its advanced technology based on a Japanese gas semiconductor sensor.
- It gives off different audio and digital messages: State of the batteries, blowing intervals and phases, calibration process, etc.
- This exclusive product is subjected to rigorous verification tests prior to its sale.
- It incorporates an intelligent energy saving system.
- Complies with EC regulations.
- It holds the BS EN61326 certification.
- Appealing product for promotional campaigns. Company logos may be printed on the units as required.
- Display holds 10 units.

### Technical specifications:

- Sensor type: gas semiconductor.
- Measurement range: 0.00 - 2.00 g/L. (TAE 0.00 - 1.00Mg/L in air).
- Alarm level: 0.05 g/L. (TAE 0.25 mg/L in air).
- Response time: < 8 sec.
- Warm-up time: < 10 sec. (initial warm-up 18 sec).
- Consumption: AD 3V (2AAA) Batteries.
- Operation temperature: 0° - 45°C.
- Relative humidity: < 95%.
- Illuminated screen.
- Useful life: 3.000 tests aprox.